

**// Safety at its best**  
**All garage doors conforming to European Standard BS EN 12604**



## Series 2000 Garage Doors

Distinctive Styling, Outstanding Performance

### Door Style Selector



# Hörmann offers a complete range of high quality garage doors



The Hörmann Series 2000 garage doors are undeniably attractive in appearance.

With a range of designs that comprises of single and double up-and-over doors in steel, timber and GRP. Their well defined styling and their ability to bring an appeal and individuality to your home that will charm the eye for many years to come.

From the first time you open and close your Hörmann garage door you will be delighted with its smooth and easy operation. This is due to the advanced technology and design that has been developed through more than 40 years of garage door production by Hörmann in a quality difficult to match.



Hörmann offer a wide range of standard garage door sizes in either canopy or retractable gear to fit to a timber frame. We recommend, however, that the Hörmann powder coated steel frame is used, as it makes a complete door set.



## A Hörmann garage door operator for increased safety and security

You simply press the button on the hand transmitter and your garage door opens by remote control. The operator light switches on automatically at the same time and stays on until you have left your car. So you can drive into your garage without having to leave the comfort of your car, safe at night and protected in all weathers.



**Can be installed at any time**  
It couldn't be easier!

**Investing in a Hörmann garage door operator makes sense**

Ask your Hörmann specialist distributor for a copy of the Hörmann brochures on garage door operators or contact us directly.



### Hörmann operators of the SupraMatic series

Powerful operators with a stainless steel housing. Ideal for Hörmann garage doors but also suitable for other brands of up-and-over, sectional doors as well as hinged garage side doors.



### EcoMatic

Modern garage door operator with plastic housing. Ideally matched to Hörmann garage doors, but, of course, also suitable for all other garage doors.

# Series 2000 Steel doors

The steel door range consists of nine designs in a Traffic white finish (RAL 9016) and up to twenty sizes. Some of our designs are available in Terra brown finish (RAL 8028), more details available upon request.

## Window options

The Georgian design (2304) is available with windows as an optional extra for 7'0" x 7'0" and 14'0" x 7'0" sizes.

Decorative windows are available with crystal panes in these three designs:



Standard



Style 1



Style 2



**2001** Vertical



**2002** Horizontal



**2003** Chevron



**2004** Georgian



**2104** Marquess



**2404** Kingston



**2504** Countess



**2304** Georgian with windows



**2101** Ilkley

# Series 2000 Timber doors

For those whose choice is timber doors our extensive range offers design features that will harmonise with and enhance any property. The eleven styles shown here cover traditional to modern tastes, and are all hand-crafted to our high specification.

It should be noted that the beauty of cedarwood consists in the warm variations of colour within each door, giving you the real value of a natural product.




2007 Jacobean



2008 Tudor



2014 Rutland



2009 Vertical



2010 Chevron



2013 Caxton

## Beautiful handles add value to your door

These new handles give you an even better grip. Set against garage doors they make a very elegant impression. An attractive alternative to the standard black plastic handle.



Black plastic standard



Cast aluminium new silver finish




Cast aluminium brass finish




Cast aluminium stainless steel finish



Cast aluminium white (RAL 9016)



Cast aluminium rustic style



Cast aluminium bronze finish

**Design your own door with the open-for-infill frame (Design 2011)**

The Hörmann open-for-infill skeleton frame is perfectly prepared to accept a timber infill of your own design.

The minimum infill weight is 6 kg per sq.mtr. and the max. infill weight is 10 kg per sq.mtr.


The leaf frame, incorporated with fixing holes spaced at 30 mm intervals, makes it easy for you to apply your own timber boarding.



2024 Ashby



2025 Hambleton




2026 Whitwick



2019 Garage Light




2020 Gatcombe



2011 Open-for-infill


## Lead light designs for timber and GRP doors



Diamond


**Windows for timber doors**

For the design 2019 Garage Light windows of tough durable perspex are used.



Square


These are available either clear or stippled opaque and can be plain or with diamond or square simulated 'leaded light' appearance (please advise when ordering).



Diamond

**Windows for GRP doors**

For design 2041 Coniston, 2042 Windermere and 2043 Kielder windows are available in either plain, diamond or square design leading on either translucent or smoked perspex. 2040 Livingston is only available with Black perspex whilst the 2044 Stamford is available with all three options (please advise when ordering).



Square

# Series 2000 GRP doors

Low maintenance is an important factor to many householders, our GRP range offers not only this, but a range of designs that will compliment all architectural requirements. The Coniston and Stamford designs available in brilliant gloss white.

With all the other timber effect doors having the options of Matt White, Mahogany, Dark Oak and Cherry Oak we are sure you will find a colour to fulfil your needs.

Note, due to the manufacturing process "woodgrain effect" doors may vary slightly in colour.



2041 Coniston \*



2042 Windermere - Wide grain




2046 Hazelbury - Close grain



2034 Penshurst - Wide grain



2035 Hartfield - Wide grain



2045 Mayfield - Close grain



2040 Livingston - Close grain



2044 Stamford \*

\* Whilst Coniston and Stamford use White OFI (based on RAL 9016) on 7'0" and 7'6" wide doors, 8'0" and 9'0" doors use Brown OFI (based on RAL 8028) and therefore will not be as pictures shown.

# Hörmann Series 2000 garage doors

## All sizes at a Glance

STEEL DOORS		2001 VERTICAL		2002 HORIZONTAL		2003 CHEVRON		2004 GEORGIAN		2104 MARQUESS		2404 KINGSTON		2504 COUNTESS		2304 GEORGIAN-WIN		2101 ILKLEY		2011 OPEN-FOR-INFILL		STEEL FRAME	
CAN = CANOPY DOORS	RET = RETRACTABLE DOORS																						
CODE	OPENING SIZE	CAN	RET	CAN	RET	CAN	RET	CAN	RET	CAN	RET	CAN	RET	CAN	RET	CAN	RET	CAN	RET	CAN	RET	CAN	RET
6666	6'6" x 6'6"	•	•	•	•			•	•											•	•	•	•
6670	6'6" x 7'0"	•	•	•	•			•	•											•	•	•	•
61064	6'10" x 6'4"	•	•	•	•			•	•											•	•	•	•
7064	7'0" x 6'4"	•	•	•	•			•	•											•	•	•	•
7066	7'0" x 6'6"	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
7070	7'0" x 7'0"	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
7364	7'3" x 6'4"	•	•	•	•			•	•											•	•	•	•
7566	7'5" x 6'6"	•	•	•	•			•	•											•	•	•	•
7570	7'5" x 7'0"	•	•	•	•			•	•											•	•	•	•
7664	7'6" x 6'4"	•	•	•	•			•	•											•	•	•	•
7666	7'6" x 6'6"	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
7670	7'6" x 7'0"	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
7864	7'8" x 6'4"	•	•	•	•			•	•											•	•	•	•
8064	8'0" x 6'4"	•	•	•	•			•	•											•	•	•	•
8066	8'0" x 6'6"	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
8070	8'0" x 7'0"	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
9066	9'0" x 6'6"		•		•				•												•		•
9070	9'0" x 7'0"		•		•				•												•		•
1466	14'0" x 6'6"		•		•				•												•		INCL
1470	14'0" x 7'0"		•		•				•												•		INCL

TIMBER DOORS		2007 JACOBEBAN		2008 TUDOR		2014 RUTLAND		2024 ASHBY		2025 HAMBLETON		2026 WHITWICK		2009 VERTICAL		2010 CHEVRON		2013 CAXTON		2019 GARAGE LIGHT		2020 GATCOMBE		STEEL FRAME	
CAN = CANOPY DOORS	RET = RETRACTABLE DOORS																								
CODE	OPENING SIZE	CAN	RET	CAN	RET	CAN	RET	CAN	RET	CAN	RET	CAN	RET	CAN	RET	CAN	RET	CAN	RET	CAN	RET	CAN	RET	CAN	RET
6666	6'6" x 6'6"									•	•			•	•									•	•
6670	6'6" x 7'0"									•	•			•	•									•	•
61064	6'10" x 6'4"									•	•			•	•									•	•
7064	7'0" x 6'4"									•	•			•	•									•	•
7066	7'0" x 6'6"	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
7070	7'0" x 7'0"	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
7364	7'3" x 6'4"									•	•			•	•									•	•
7566	7'5" x 6'6"	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
7570	7'5" x 7'0"	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
7664	7'6" x 6'4"	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
7666	7'6" x 6'6"	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
7670	7'6" x 7'0"	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
7864	7'8" x 6'4"									•	•			•	•									•	•
8064	8'0" x 6'4"									•	•			•	•									•	•
8066	8'0" x 6'6"									•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
8070	8'0" x 7'0"									•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
9066	9'0" x 6'6"									•	•			•	•									•	•
9070	9'0" x 7'0"									•	•			•	•									•	•
1466	14'0" x 6'6"		•		•				•					•	•						•		•		INCL
1470	14'0" x 7'0"		•		•				•					•	•						•		•		INCL

GRP DOORS		2041 CONISTON		2042 WINDERMERE		2046 HAZELBURY		2034 PENSURST		2035 HARTFIELD		2045 MAYFIELD		2040 LIVINGSTON		2044 STAMFORD		STEEL FRAME							
CAN = CANOPY DOORS	RET = RETRACTABLE DOORS																								
CODE	OPENING SIZE	CAN	RET	CAN	RET	CAN	RET	CAN	RET	CAN	RET	CAN	RET	CAN	RET	CAN	RET	CAN	RET						
6666	6'6" x 6'6"																								
6670	6'6" x 7'0"																								
61064	6'10" x 6'4"																								
7064	7'0" x 6'4"																								
7066	7'0" x 6'6"	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
7070	7'0" x 7'0"	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
7364	7'3" x 6'4"																								
7566	7'5" x 6'6"																								
7570	7'5" x 7'0"																								
7664	7'6" x 6'4"																								
7666	7'6" x 6'6"	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
7670	7'6" x 7'0"	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
7864	7'8" x 6'4"									•	•			•	•									•	•
8064	8'0" x 6'4"									•	•			•	•									•	•
8066	8'0" x 6'6"	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
8070	8'0" x 7'0"	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
9066	9'0" x 6'6"		•		•					•	•			•	•									•	•
9070	9'0" x 7'0"		•		•					•	•			•	•									•	•